

VERCURY

FOURSTROKE

Phone: +61 2 9818 2000 Email: sales@chapmanmarinegroup.com.au Website: https://www.chapmanmarinegroup.com.au/

MERCUR

Mercury 40 HP EFI Fourstroke

POA

Disclar Our co the ves prior s

n but cannot guarantee of surveyors to investigate s ant the accu etails buyer this information nor warrant the condition of validated. This vessel is offered subject to



Phone: +61 2 9818 2000 Email: sales@chapmanmarinegroup.com.au Website: https://www.chapmanmarinegroup.com.au/

Specifications

Boat Details

Price Model Year Hull Style Power Type Condition Suburb POA 40 HP EFI (Fourstroke) 2021 New

ROZELLE

Boat Brand Length Category Hull Type Stock Number State Engine Make

Mercury 0.00 Boat Engines and Outboards

0 New South Wales Mercury

Description

Mercury 40 HP EFI - Mercury FourStrokes have long led the pack in clean, quiet, fuel-efficient outboard power - and now the gap grows even wider. We combined innovative engineering with advanced reliability and features to make our outboards run clean, stay quiet, and deliver smooth, responsive performance - all while cutting your fuel and maintenance costs.

HP / kW

• 40 / 30

Engine type

• Inline 3

Displacement (CID/CC) • 45.6 / 747

Full throttle RPM • 5500-6000

Fuel induction system

• 2 valves per cylinder, single overhead cam (SOHC)

Alternator amp / Watt

• 18 amp / 226 watt

Recommended fuel • 87% octane / up to 10% ethanol

Recommended oil

Mercury FourStroke 25W40 Marine Oil

Engine protection operator warning system

- Low oil pressure
- Over-rev
- Overheat

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Compatible with SmartCraft digital technology

• Yes

Starting

• Electric (turn-key)

Steering

- Big Tiller Compatible
- Remote
- Tiller Kit

Shaft length

- •15" / 381 mm
- 20" / 508 mm

Gearcase ratio

•2.00:1

Dry weight *Lightest model available •216 lbs / 98 kg

Emissions Star Rating

• 3

Bore and stroke • 2.56 x 2.95" / 65 x 75 mm

Ignition • ECM 70

- Fuel system
- Electronic Fuel Injection (EFI)

Cooling system • Water-cooled with thermostat

Gear shift

• F-N-R

Gearcase options

Standard

Trim system

- Gas assist
- Power Tilt
- Power Trim

Exhaust system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



| • | Through | prop |
|---|---------|------|
|---|---------|------|

| Shallow water trim range (degrees) • 20 Remote fuel tank (optional) • Yes | | | |
|--|---------------|--|--|
| | | | |
| Features | | | |
| Horse Power (hp) | 40 | | |
| Engine Details Engine Make Horse Power | Mercury 40 | | |

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.